

Test Report

號碼(No.): CE/2012/C4103A 日期(Date): 2013/01/21 頁數(Page): 1 of 12

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市中壢工業區北園路17號

NO. 17, BEIYUAN RD., ZHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN (R. O. C.)

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) : UTP FTP LSOH

應用於(Used For) : CAT.5 · CAT.5E · CAT.6E · CAT.6E · CAT.6A · CAT.7 (LAN CABLE) /

OS1、OS2 9/125 G651、G652、G657 2~216 芯; OM1 62.5/125 2~216 芯; OM2、OM3

50/125 2~216芯 (FIBER OPTICAL CABLE LSOH)

收件日期(Sample Receiving Date) : 2012/12/21

: 2012/12/21 TO 2013/01/09 測試期間(Testing Period)

請見下一頁 (Please refer to next pages). 測試結果(Test Results) :



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic Documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report

號碼(No.) : CE/2012/C4103A 日期(Date) : 2013/01/21 頁數(Page) : 2 of 12

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市中壢工業區北園路17號

NO. 17, BEIYUAN RD., ZHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN (R. O. C.)

測試結果(Test Results)

測試部位(PART NAME)No.1 : 白色塑膠粒(WHITE PLASTIC PELLETS)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	参考IEC 62321: 2008方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
汞 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321: 2008方法,以UV-VIS檢測. / With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	参考US EPA 3550C: 2007方法,以液相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.
全氟辛酸(銨)/ PFOA (CAS No.: 335-67-1)	mg/kg	参考US EPA 3550C: 2007方法,以液相層析/質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.



Test Report

號碼(No.) : CE/2012/C4103A 日期(Date) : 2013/01/21 頁數(Page) : 3 of 12

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市中壢工業區北園路17號

NO. 17, BEIYUAN RD., ZHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN (R. O. C.)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result)
六溴環十二烷 /	mg/kg	参考US EPA 3540C方法,以氣相層析/質譜	5 5	No.1
Hexabromocyclododecane (HBCDD) (CAS No.: 25637-99-4)		儀檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.		
鄰苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	%	参考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	参考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.: 26761-40-0)	%	参考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.
鄰苯二甲酸二異壬酯 / DINP (Di- isononyl phthalate) (CAS No.: 28553-12-0)	%	参考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	%	参考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	参考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鹵素 / Halogen				
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8)		參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素(氯)/ Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg		50	n.d.
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)			50	n.d.
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 14362-44-8)			50	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic Documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report

號碼(No.) : CE/2012/C4103A 日期(Date) : 2013/01/21 頁數(Page) : 4 of 12

萬泰科技股份有限公司

桃園縣中壢市中壢工業區北園路17號

WONDERFUL HI-TECH CO., LTD.

NO. 17, BEIYUAN RD., ZHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN (R. O. C.)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
多溴聯苯總和 / Sum of PBBs		-	-	n.d.
一溴聯苯 / Monobromobiphenyl			5	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.
三溴聯苯 / Tribromobiphenyl			5	n.d.
四溴聯苯 / Tetrabromobiphenyl			5	n.d.
五溴聯苯 / Pentabromobiphenyl			5	n.d.
六溴聯苯 / Hexabromobiphenyl		参考IEC 62321: 2008方法,以氣相層析/質 譜儀檢測. / With reference to IEC 62321: 2008 and performed by GC/MS.	5	n.d.
七溴聯苯 / Heptabromobiphenyl			5	n.d.
八溴聯苯 / Octabromobiphenyl			5	n.d.
九溴聯苯 / Nonabromobiphenyl			5	n.d.
十溴聯苯 / Decabromobiphenyl	/1		5	n.d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n.d.
一溴聯苯醚 / Monobromodiphenyl ether			5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)



Test Report

號碼(No.) : CE/2012/C4103A 日期(Date) : 2013/01/21 頁數(Page) : 5 of 12

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市中壢工業區北園路17號

NO. 17, BEIYUAN RD., ZHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN (R. O. C.)

PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品 或塗層材料中不得超過1µg/m²。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semifinished products or articles or parts at a level above 0.1%(1000ppm), in textiles or other coated materials above $l\mu g/m^2$.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic Documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.) : CE/2012/C4103A 日期(Date) : 2013/01/21 頁數(Page) : 6 of 12

Test Report


萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市中壢工業區北園路17號

NO. 17, BEIYUAN RD., ZHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN (R. O. C.)

- 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 測試負責人: 張啓興 / Name of the person in charge of measurement: Troy Chang 3)



Note**: (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃萃取. / For non-metallic material, add alkaline digestion reagent and heat

(2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic Documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report

號碼(No.) : CE/2012/C4103A 日期(Date) : 2013/01/21 頁數(Page) : 7 of 12

萬泰科技股份有限公司


WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市中壢工業區北園路17號

NO. 17, BEIYUAN RD., ZHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN (R. O. C.)

全氟辛酸(銨)/全氟辛烷磺酸分析流程圖 / PFOA/PFOS analytical flow chart

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





Test Report

號碼(No.) : CE/2012/C4103A 日期(Date) : 2013/01/21 頁數(Page) : 8 of 12

萬泰科技股份有限公司


WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市中壢工業區北園路17號

NO. 17, BEIYUAN RD., ZHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN (R. O. C.)

六溴環十二烷分析流程圖 / HBCDD analytical flow chart

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





Test Report

號碼(No.) : CE/2012/C4103A 日期(Date) : 2013/01/21 頁數(Page) : 9 of 12

萬泰科技股份有限公司


WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市中壢工業區北園路17號

NO. 17, BEIYUAN RD., ZHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN (R. O. C.)

可塑劑分析流程圖 / Analytical flow chart of phthalate content

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





Test Report

號碼(No.) : CE/2012/C4103A 日期(Date) : 2013/01/21 頁數(Page) : 10 of 12

萬泰科技股份有限公司


WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市中壢工業區北園路17號

NO. 17, BEIYUAN RD., ZHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN (R. O. C.)

鹵素分析流程圖 / Analytical flow chart of halogen content

- 測試人員: 陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人: 張啓興 / Name of the person in charge of measurement: Troy Chang





Test Report

號碼(No.) : CE/2012/C4103A 日期(Date) : 2013/01/21 頁數(Page) : 11 of 12

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市中壢工業區北園路17號


NO. 17, BEIYUAN RD., ZHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN (R. O. C.)

多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

初次測試程序 / First testing process -選擇性篩檢程序 / Optional screen process ••

確認程序 / Confirmation process - · - · ▶



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic Documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.) : CE/2012/C4103A 日期(Date) : 2013/01/21 頁數(Page) : 12 of 12

Test Report

萬泰科技股份有限公司

WONDERFUL HI-TECH CO., LTD.

桃園縣中壢市中壢工業區北園路17號

NO. 17, BEIYUAN RD., ZHONGLI CITY, TAOYUAN COUNTY 320, TAIWAN (R. O. C.)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2012/C4103



** 報告結尾 (End of Report) **